

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10/517,492"	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:50
L2	13	BURCHARD-THEO.in.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:50
L3	4266	283/57,58,59,62,72,81,82.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:50
L4	9027	428/195.1,209,916.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L5	1178	264/229,291.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L6	13020	L3 or L4	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L7	147368	(mark symbol indicia watermark image) with (register registry registration overlap overlapped overlapping)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L8	31726	L7 and ((leaf sheet foil) same (two dual (first same second) multiple))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L9	20663	L8 and ("register marks" marks markings alignment aligned)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L10	225	L6 and L9	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L11	331	L9 and "283"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:51
L12	707	L9 and "428"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:52
L13	12103	L9 and (overlap overlapped overlapping superimposed "on top of the other" "over the other" "over one another" "first on top of the second" "first on top of second" "first over second")	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:52
L14	122	L6 and L13	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:52
L15	186	L13 and "283"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:52
L16	415	L13 and "428"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:52
L17	6	L5 and ((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:53
L18	8	L6 and ((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:53

L19	138	"428"/\$.cls. and ((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:53
L20	4	"283"/\$.cls. and ((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:53
L21	93	"264"/\$.cls. and ((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:53
L22	620	((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:54
L23	586	L22 and ("register marks" marks markings alignment aligned)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:54
L24	23	L23 and ((mark symbol indicia watermark image security) with (register registry registration overlap overlapped overlapping))	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:54
L25	430	L23 and (security secure fraud antifraud anti-fraud (anti near2 fraud) prevent\$3 protect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 11:54
L26	37	((aligned alignment register registration) with (tensile stress) with (stretch stretching stretched orienting oriented))	EPO; JPO; DERWENT	OR	ON	2009/10/20 11:54
L27	33	L26 and ("register marks" marks markings alignment aligned)	EPO; JPO; DERWENT	OR	ON	2009/10/20 11:54
L28	0	L27 and ((mark symbol indicia watermark image security) with (register registry registration overlap overlapped overlapping))	EPO; JPO; DERWENT	OR	ON	2009/10/20 11:54
L29	5	L27 and (security secure fraud antifraud anti-fraud (anti near2 fraud) prevent\$3 protect\$3)	EPO; JPO; DERWENT	OR	ON	2009/10/20 11:55
L30	0	two near5 security near5 in adj register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L31	32	(register registration) with (tensile adj stress)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L32	514309	(security anti adj (theft fraud) protect \$3 near5 (theft fraud))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58

L33	30	L32 and stretch\$3 with (in adj register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L34	65	L32 and stretch\$3 same (in adj register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L35	35	L34 not L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L36	4	L32 same stretch\$3 same (in adj register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L37	2	stretch\$3 with security with register\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:58
L38	0	("2006/0145467").URPINL	USPAT	OR	ON	2009/10/20 11:59
L39	10	detect\$3 with registration adj mark with stretch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L40	13	L32 and join\$3 with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L41	5	L32 and laminat\$5 with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L42	1	L37 and tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59

L43	6	carrier adj foil with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L44	67	L32 and ((supply adj roller) with tensile adj strength subject\$3 with tensile adj strength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L45	6	("5093184" "3601913").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 11:59
L46	20	pressure adj rollers with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00
L47	811	roller with speed with stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00
L48	101	roller with speed with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00
L49	1	pressure adj roller with speed with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00
L50	4	pressure adj roller same speed near5 (control\$4 slow\$3 fast\$3 accelerat\$3 lower higher) with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00
L51	40	roller same speed near5 (control\$4 slow\$3 fast\$3 accelerat\$3 lower higher) with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:00

L52	153	roller same speed with tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:01
L53	13	L52 and (L32 document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:01
L54	0	("2006/0012104").URPN.	USPAT	OR	ON	2009/10/20 12:01
L55	2	("20060156693").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:01
L56	1	L55 and stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:01
L57	18	roller same speed with tensile adj stress with (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:03
L58	435	laminat\$5 with tensile adj stress with (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L59	162	laminat\$5 near10 tensile adj stress near10 (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L60	10	laminat\$5 near10 (subject\$3 under) near5 tensile adj stress near10 (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L61	27	laminat\$5 with (subject\$3 under) near5 tensile adj stress with (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04

L62	57	(L32 document) and (subject\$3 under) near5 tensile adj stress and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L63	5	(L32 document) and (roller laminat\$5) with tensile adj stress and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L64	100	(roller laminat\$5) with tensile adj stress and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L65	26619	(security magnetic) with (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L66	895	L65 and stretch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:04
L67	14	L66 and tensile adj stress	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L68	139	L66 and (theft fraud)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L69	4448	L65.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L70	12265	(security magnetic) near5 (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05

L71	1988	L70.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L72	39	L69 and stretch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L73	1	security adj feature with in adj register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L74	23	first with second with (substrate carrier foil film) same security same (registration in adj register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:05
L75	42	("4044231" "4183989" "4446204" "4511616" "4584529" "4631222" "4631223" "4652015" "4869778" "4943093" "4980569" "5016919" "5042842" "5043201" "5093184" "5112672" "5113062" "5190318" "5196681" "5265916" "5279403" "5284363" "5308992" "5354099" "5388862" "5394969" "5417316" "5419424" "5457382" "5486022" "5516153" "5535871" "5543911" "5545885" "5583631" "5599047" "5601931" "5614824" "5697649" "5786587" "5803503" "5949050").pn. (RE39490).urpn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 12:07
L76	14	(L74 L75) and (stress stretch\$3 biaxial \$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 12:07
L77	69	("4044231" "4183989" "4446204" "4511616" "4584529" "4631222" "4631223" "4652015" "4869778" "4943093" "4980569" "5016919" "5042842" "5043201" "5093184" "5112672" "5113062" "5190318" "5196681" "5265916" "5279403" "5284363" "5308992" "5354099" "5388862" "5394969" "5417316" "5419424" "5457382" "5486022" "5516153" "5535871" "5543911" "5545885" "5583631" "5599047" "5601931" "5614824" "5697649" "5786587" "5803503" "5949050").pn. ("6255948").urpn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 12:07
L78	8	L77 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/20 12:07

L79	532145	(security antitheft antifraud anti adj (theft fraud) prevent\$3 near5 (theft fraud))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L80	33731	L79 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L81	148	L79 and (stress stretch\$3 biaxial\$3 uniaxial\$3) with (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L82	148	L80 and (stress stretch\$3 biaxial\$3 uniaxial\$3) with (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L83	8017	L80 and (stress stretch\$3 biaxial\$3 uniaxial\$3) and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L84	3388	L79.ab. and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:07
L85	602	L84 and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L86	39	L84 and (register registration) same security adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L87	1056	L79 and (register registration) same security adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08

L88	160	L87 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L89	27	align\$4 near10 security adj feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L90	81486	first adj (substrate carrier film foil) and second adj (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L91	55399	(multilayer multi adj layer) adj (substrate carrier film foil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L92	2791	L79 and (L90 L91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:08
L93	125	L92 and security adj feature and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L94	70	L93 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L95	696	L92 and (register registration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L96	221	L95 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09

L97	8	("4536016" "3601913" "5509691").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L98	3	L97 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L99	4	EP-400902-\$.did. gb-2287430-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L100	2	("5093184").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L101	0	L100 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L102	8	("5891287" "20050016557" "20060156693" "6085490").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:09
L103	5	L102 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:10
L104	2	("20060016557").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:10
L105	1	L104 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:10

L106	1	L103 and (L90 L91)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/20 12:10
------	---	--------------------	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L107	0	two near5 security near5 in adj register	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:12
L108	22	(register registration) with (tensile adj stress)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:13
L109	343865	(security anti adj (theft fraud) protect\$3 near5 (theft fraud))	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:13
L110	31	L109 and stretch\$3 with (in adj register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:14
L112	2	L109 same stretch\$3 same (in adj register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:15
L113	2	stretch\$3 with security with register\$3	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:15
L114	8	detect\$3 with registration adj mark with stretch\$3	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:15
L115	9	L109 and join\$3 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:16
L116	4	L109 and laminat\$5 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:16
L117	4	L109 and laminat\$5 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:17
L118	67	L109 and ((supply adj roller) with tensile adj strength subject\$3 with tensile adj strength)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:18
L119	28	roller same speed near5 (control\$4 slow\$3 fast\$3 accelerat\$3 lower higher) with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:19
L120	286	laminat\$5 with tensile adj stress with (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:19
L121	110	laminat\$5 near10 tensile adj stress near10 (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:19
L122	8	laminat\$5 near10 (subject\$3 under) near5 tensile adj stress near10 (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:20
L123	21	laminat\$5 with (subject\$3 under) near5 tensile adj stress with (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:20

L124	348301	(security anti theft antifraud anti adj (theft fraud) prevent \$3 near5 (theft fraud))	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:20
L125	31956	L124 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:21
L126	139	L124 and (stress stretch\$3 biaxial\$3 uniaxial\$3) with (register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:21
L127	139	L125 and (stress stretch\$3 biaxial\$3 uniaxial\$3) with (register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:22
L128	8102	L125 and (stress stretch\$3 biaxial\$3 uniaxial\$3) and (register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:22
L129	1059	L124 and (register registration) same security adj feature	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:23
L130	160	L129 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:23
L131	27	align\$4 near10 security adj feature	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:24
L132	61312	first adj (substrate carrier film foil) and second adj (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:24
L133	35564	(multilayer multi adj layer) adj (substrate carrier film foil)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:24
L134	2720	L124 and (L132 L133)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:25
L135	130	L134 and security adj feature and (register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:25
L136	70	L135 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:26
L138	721	L134 and (register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:26
L139	222	L138 and (stress stretch\$3 biaxial\$3 uniaxial\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:26
L140	5	((register registration) with (tensile adj stress)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:27
L141	51714	((security anti adj (theft fraud) protect\$3 near5 (theft fraud))).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:27
L142	2	L141 and stretch\$3 with (in adj register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:27
L143	0	L141 same stretch\$3 same (in adj register registration)	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:28
L144	3	L141 and join\$3 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:28
L145	1	L141 and laminat\$5 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:28
L146	1	L141 and laminat\$5 with tensile adj stress	US-PGPUB; USPAT; UPAD	OR	ON	2009/10/20 12:28

10/20/2009 12:29:31 PM

C:\Documents and Settings\Djoy\My Documents\EAST\Workspaces\10-517492-B.wsp